

LI-ION BATTERY LED LIGHTING SET UN-102

PRODUCT DESCRIPTION

Product Description and Application

A rechargeable Li-ion battery LED lighting set, with a head light UN-100 and a tail light UN-101, each in mini design and specially designed to fit all bike types.

FEATURES

Front light-UN-100

- 1 x super bright white LED creates a bright light distribution
- Modern and innovative design
- ON-FLASH-OFF switch button
- · Visibility in a 180 degrees angle, which provides for more safety
- Including an adjustable rubber handlebar bracket
- · Available in colour white, with grey switch button
- Direct USB adapter (no need for charging cable)
- Rechargeable Li-ion battery
- · Low battery indicator

Tail light-UN-101

- 1 x super bright red LED creates a bright light distribution
- · Modern and innovative design
- ON-FLASH-OFF switch button
- · Visibility in a 180 degrees angle, which provides for more safety
- Including an adjustable rubber seat post bracket
- Available in colour white, with grey switch button
- Direct USB adapter (no need for charging cable)

- Rechargeable Li-ion battery
- Low battery indicator

TECHNICAL INFORMATION

Housings

- · Main housing made of impact resistant ABS
- Lens parts are made of a clear (front light UN-100) or red (rear light UN-101) transparent PMMA
- Integrated direct USB adapter (no need for charging cable), which is protected and covered by a black TPE (Thermo-Plastic-Elastomer) cap

Splash and rain water proof

Rubber bracket

Adjustable rubber handlebar (front light UN-100) and seat post bracket (rear light UN-101) allows easy (dis)mounting of the head and tail light

Adjustment lamp housing

A special connection between each lamp housing and bracket ables a horizontally adjustment for the head light and vertically adjustment for the tail light

Switch

Easy operating ON-FLASH-OFF- push button at the sides, made of grey TPE (Thermo-Plasticlastomer)

Functions

Steady and flash

Batteries

1 x rechargeable Li-ion battery (3.7V Li-ion 80mAh), which can be recharged by a direct USB adapter

Charging time

1 hour (green light of low battery indicator lits while charging and turns off when battery is fully charged)

Lighting duration

2.5 hours

Low battery indicator

A low battery indicator, on top of each light starts to appear red, about $\frac{1}{2}$ hour before the battery becomes too low

Dimensions each light

15 x 20 x 64 mm (Height x Width x Depth, for housing w/o bracket, including TPE cap which covers the direct USB connector)

Weight 17 g

Standards Meet the CE standard

INSTALLATION

Installation & Maintenance

- Check the proper function of your bicycle light before every ride
- Don't forget to switch off your light after use
- · For your own safety check the brightness of the head and tail light before every ride and recharge

the battery when low battery indicator lits

OPTIONS

• The head light UN-100 and tail light UN-101 are also separate available. Check <u>UN-100</u> and <u>UN-101</u> for more information.